

EN 131-1:2020

EN 131-2:2010+A2:2017

EN 131-3:2018

www.alumet.ru e-mail: info@alumet.ru

Russia, Building 1, Possession 121, village Shelepino, Dmitrovsky District
Moscow Oblast, Russia, 141825

Tel.:+7 495 668 10 73



+7 985 100 62 53





СЕРТИФИКАТ

Системы менеджмента в соответствии с
ISO 9001 : 2015

По результатам проведенного аудита и оценки, в основе на основании решений и сертификатов, принятых в соответствии с ISO/IEC 17021-1:2015, сертификационный орган TUV NORD CERT GmbH подтверждает, что система менеджмента организации

**Общество с ограниченной ответственностью
ООО «АЛЮМЕТ»**
Владение 121, строение 1, помещение 17
141825, д. Шелепино
Дмитровский район
Московская область
Российская Федерация



соответствует требованиям стандарта ISO 9001 : 2015 и данное соответствие контролируется в течение 3 лет
действия сертификата.

Область действия:

**Разработка, производство и реализация лестниц и стремянок из стального и
алюминиевого профиля**

Регистрационный номер сертификата: 44 100 210111
Страна об аудите: 3020 7884

Действителен с: 2021-03-23
Действителен до: 2023-03-30



1. Июнь 2021-02-23

Достоверность можно проверить по адресу <https://www.tuv-nord.de/de/unternehmen/certifizierung/zertifizierungsdatenbank>.

TUV NORD CERT GmbH Langemannstraße 20

40141 Essen

www.tuv-nord-cert.com



Since 2005, ALUMET Ltd. offers aluminum stairs, stepladders, mobile scaffold towers as well as household and professional steel ladders to its clients.




ALUMET Ltd. had won the leading position in Russia's national market thanks to a broad range of goods and flexible pricing strategies. As high quality is fundamental for all our products, they became famous overseas as well as nationally. We use modern, hi-tech equipment for manufacturing every position featured in our catalogues. It is a well-established mode of our activities to observe the demands of consumers –literally without a break, intending to develop new modifications of our products. ALUMET Ltd. makes a point in entry-level control related to materials and components that are to be processed further during the actual production timeframe. We have conducted all the necessary steps to certify the high-level quality of our products. The company guarantees that the items we offer are well enough for long-term and safe use, no matter which kind of work you need to do. Reliability is our top priority! ALUMET Ltd. possesses large storage capacity that makes it easy to ship products of any kind and volume within the shortest period of time possible. We both value our experienced customers and strive to build new links of cooperation. The company's personnel is happy to offer a comprehensive understanding of our products as well as assist you in assembling your ordered items.

+7 495 668 10 73 www.alumet.ru e-mail: info@alumet.ru

Building 1, Possession 121, village Shelepino, Dmitrovsky District
Moscow Oblast, Russia, 141825



TWO-SIDED STEPLADDER ALUMINIUM

Typ							
AD 7202	2x2	0,45	0,16	0,39	2,49	0,42	1,9
AD 7203	2x3	0,68	0,16	0,60	2,70	0,44	2,7
AD 7204	2x4	0,91	0,16	0,81	2,91	0,46	3,5
AD 7205	2x5	1,14	0,16	1,02	2,70	0,49	4,4
AD 7206	2x6	1,37	0,16	1,23	2,91	0,51	5,3

EN 131-1:2020
 EN 131-2:2010+A2:2017
 EN 131-3:2018

 Max 150 kg
www.alumet.ru







ONE-SIDED STEPLADDER ALUMINIUM

Typ									
AM 703	1x3	1,31	0,11	0,60	1,20	2,70	0,42	3,3	
AM 704	1x4	1,54	0,11	0,81	1,41	2,91	0,44	3,9	
AM 705	1x5	1,77	0,11	1,02	1,62	3,12	0,46	4,6	
AM 706	1x6	2,00	0,12	1,23	1,83	3,33	0,49	5,3	
AM 707	1x7	2,23	0,12	1,45	2,05	3,55	0,51	6,0	
AM 708	1x8	2,46	0,12	1,66	2,26	3,76	0,54	6,6	



SINGLE LADDER ALUMINIUM

*SUPPORT BRIDGE

Typ				
H1 5106	1x6	1,69	2,59	2,8
H1 5107	1x7	1,97	2,87	3,3
H1 5108	1x8	2,25	3,15	3,7
H1 5109	1x9	2,53	3,43	4,2
H1 5110	1x10	2,81	3,71	4,6
H1 5111*	1x11	3,09	3,99	5,7
H1 5112*	1x12	3,37	4,27	6,4
H1 5113*	1x13	3,65	4,55	6,9
H1 5114*	1x14	3,93	4,83	7,4
H1 5115*	1x15	4,22	5,12	7,9
H1 5116*	1x16	4,50	5,40	8,4
H1 5117*	1x17	4,78	5,68	8,9
H1 5118*	1x18	5,06	5,96	9,3

EN 131-1:2020








EN 131-2:2010+A2:2017

EN 131-3:2018

 Max 150 kg
www.alumet.ru










UNIVERSAL TWO-PART LADDER ALUMINIUM

Typ							
H2 5206	2x6	1,69	1,60	2,59	2,54	3,44	6,6
H2 5207	2x7	1,97	1,86	2,87	2,82	3,72	7,5
H2 5208	2x8	2,25	2,13	3,15	3,10	4,00	8,3
H2 5209	2x9	2,53	2,39	3,43	4,22	5,12	9,3
H2 5210	2x10	2,81	2,65	3,71	4,50	5,40	10,1
H2 5211	2x11	3,09	2,92	3,99	5,06	5,96	11,3
H2 5212	2x12	3,37	3,18	4,27	5,62	6,52	12,2



UNIVERSAL TWO-PART LADDER ALUMINIUM

Typ							
HS2 6210	2x10	2,81	2,65	3,71	4,50	5,40	11,9
HS2 6211	2x11	3,09	2,92	3,99	5,06	5,96	13,7
HS2 6212	2x12	3,37	3,18	4,27	5,62	6,52	14,9
HS2 6213	2x13	3,65	3,44	4,56	6,18	7,08	16,0
HS2 6214	2x14	3,93	3,71	4,83	6,74	7,64	17,1

EN 131-1:2020
 EN 131-2:2010+A2:2017
 EN 131-3:2018

 Max 150 kg
www.alumet.ru



UNIVERSAL THREE-PART LADDER ALUMINIUM










Typ										
H3 5306	3x6	1,69	1,60	2,59	2,54	3,44	3,38	4,28	9,8	
H3 5307	3x7	1,97	1,86	2,87	2,82	3,72	3,94	4,84	11,2	
H3 5308	3x8	2,25	2,13	3,15	3,10	4,00	5,06	5,96	12,5	
H3 5309	3x9	2,53	2,39	3,43	4,22	5,12	5,90	6,80	13,8	

ALUMET

THE PRODUCTION OF LADDERS



UNIVERSAL THREE-PART LADDER ALUMINIUM

Typ									
HS3 6309	3x9	2,53	2,39	3,43	4,22	5,12	5,90	6,80	17,3
HS3 6310	3x10	2,81	2,65	3,71	4,30	5,40	6,46	7,36	19,0


EN 131-1:2020
 EN 131-2:2010+A2:2017
 EN 131-3:2018

 Max 150 kg
www.alumet.ru



WORKING PLATFORM

Typ							
SM 4006	2x6	1,04	1,70	2,52	3,42	11,5	
SM 4007	2x7	1,31	1,98	3,08	3,98	12,2	



150 KG
Max 150 kg
www.alumet.ru

EN 131-1:2020
EN 131-2:2010+A2:2017
EN 131-3:2018

